

### **Product Portfolio**



# We love simple. We live simple.

The best ideas are almost always the simplest. Or is it, the simplest ideas are almost always the best? Whichever way round it goes, we agree wholeheartedly. With both.

Innovation at its best isn't about technology or chemistry or huge leaps forward in discovery. It's about what it does and the difference it makes; what it delivers to people who don't care how, only that it does. We love these easy-going game-changers. We celebrate uncommon sense.

'Live Simple' is at the heart of everything we do. It has inspired us to design and develop a series of unique products that easily integrate into your home to help you sleep better, manage light and effortlessly add your own personal touch of colour and texture.

Crucially, all our roller blinds and smart motorised options are easy to assemble and fit. And what could be simpler than our unique Fabric Changer – a straightforward way to refresh your colour scheme without having to buy and fit an entirely new blind mechanism. Cost saving for you and better for the environment, that's living simple.

### **Contents**

Introduction	Page	2
Fabric Overview	Page	4
PLAIN BLACKOUT FABRICS		
White	Page	7
Monochrome	Page	8
Natural	Page	10
Red	Page	12
Blue, Green and Yellow	Page	14
PLAIN TRANSLUCENT FABRICS		
Monochrome	Page	16
Natural	Page	18
Colours	Page	20
Textures	Page	22
PVC Fabrics	Page	24
Screen Fabrics	Page	25
Fabric Codes	Page	26
PRODUCTS		
Product Information	Page	29
Motorised Systems	Page	44
Product Specifications	Page	45

# Clearline bloc blinds Fabrics



Clearline Bloc Blinds offer a stylish fabric collection ranging from sophisticated plains to vibrant statement patterns and everything in between. Choose the best fabric for your customer according to their needs.


#### **Blackout Fabric**

Ideal for bedrooms, cinema rooms and rooms where strong sunlight or light pollution is an issue.



#### Translucent Fabric

Allows light to filter through whilst providing privacy. Perfect for living areas and working spaces.



#### **Textured Fabric**

 $\mbox{\sc Add}$  a bit more interest to your window blind. Perfect for living areas and working spaces.




#### Moisture Resistant PVC Fabric

Best placed in bathrooms, wet rooms, and near sinks.



#### Screen Fabric

Screen fabric will protect against the sun and harmful effects of UV rays. Ideal for offices.



#### **Fabric Codes**

Our fabrics have been sorted into different bands according to price. For example:

**1. Snowdrop (C)** 917149-0088

(C) = Fabric Band



All fabrics with the **Same Coloured Backing** are marked with an \*. For example:

Wood Pigeon\* (B) 0017-017

#### **Fabric Cards**

Order our Fabric cards or download the digital versions on our wesbite!

www.clearlinewindows.co.uk






#### Sustainable.

- 1. Energy Production process is CO<sub>2</sub> Neutral.
- 2. Water Leaves factory as drinkable.
- **3.** Air Bio Fuels used in a circulated closed heating system creating hot water for production processes.
- **4.** Ingredients Materials used with the least possible impact on our health and the environment.
- **5. Waste** Minimised using regulated manufacturing processes.



### White

#### Plain Blackout Collection



- **1. Snowdrop (C)** 917149-0088
- 2. Blossom White (AB) 917149-0008



### **Monochrome**

#### **Plain Blackout Collection**



#### Sustainable.

Our sustainable range of fabrics come from a facility which has a Five Zero Green production process.



#### North.

A new collection with soft texture in contemporary colorways.

- (¥)
- **1. Whisper (B)** 100937-0539
- (\(\psi\)
  - **2. Fog Grey (B)** 100937-0537
- (\$)
- **3. Fossil Grey (B)** 100937-0538

- **4. Flint\* (B)** 0017-013
- **5. Raven\* (B)** 0017-015
- 6. Smouldering Charcoal (AB) 917149-0519
  - **7. Pewter (C)** 2228-718
- **8. Flagstone\* (B)** 0017-012
- 9. Moonlit Shimmer (C) 2393-007
- 10. Light Grey (AB) 917149-0511
  - 11. Jet Black (AB) 2228-228




### **Natural**

#### **Plain Blackout Collection**




#### Sustainable.



- 1. Lime Wash\* (B) 0017-003
- **2. Barn Owl\* (B)** 0017-014
- 3. Turf (AB) 917149-0671
- 4. Rust (C) 100002-0603

- 5. Bog Cotton\* (B) 0017-002
- **6. Gentle Mist (C)** 2228-811
- **7. Wood Pigeon\* (B)** 0017-017
- 8. Sandstone (D) 914235-629
- 9. Delicate Cream (AB) 917149-0649
- 10. Latte (AB) 917149-0651
- 11. Coffee (C) 917149-0652
  - 12. Wheaten (C) 2228-806
  - \*Same Coloured Backing



### **Red tones**

#### **Plain Blackout Collection**



#### Sustainable.



- 1. Shiraz (AB) 917149-0119
- 2. Misty Flower (C) 100002-0710
- 3. Raspberry (B)
  DIGIBB-5932

- **4. Gooseberry\* (B)** 0017-010
- 5. Bramble Flower (C) 917149-0135-200
- 6. Lavender Mist (B)
  DIGIBB-5838
- 7. Carnival Red (C) 2228-851
- \*Same Coloured Backing



### Blue-Green-Yellow

#### **Plain Blackout Collection**



#### Sustainable.



- 1. Inkwell Navy (C) 2228-227
  - 2. Cobalt (C) 2228-225
  - 3. Crockery Teal (C) 2228-810
- 4. Blue Stone (D) 914235-233
  - 5. Coastal Blue (C) 2228-224

- **6. Fisherman's Blue\* (B)** 0017-009
- **7. Duck Egg\* (B)** 0017-020
- 8. Lichen (C) 2228-809
- 9. Soft Sky (AB) 917149-0231
  - 10. Whin (C) 2228-145

- 11. Flax (C) 100002-0330
- 12. Harbour Mist (C) 100002-0239
- 13. French Grey (C) 100002-0331
  - **14. Moss (C)** 2228-818
  - \*Same Coloured Backing



### Monochrome

**Plain Translucent Collection** 



#### Sustainable.

All of our translucent fabrics come from a facility which sticks to a Five Zero Green production process.




- 1. Smouldering Charcoal (A) 917147-0519T
- 2. Blossom White (A) 917147-0008T
- 3. Light Grey (A) 917147-0511T
- 4. Jet Black (A) 917147-0009T

#### North.

A new collection with soft texture in contemporary colorways.

- 5. Fossil Grey (B) 100937-0538
- 6. Fog Grey (B) 100937-0537
- 7. Whisper (B) 100937-0539




### **Natural**

**Plain Translucent Collection** 



#### Sustainable.

All of our translucent fabrics come from a facility which sticks to a Five Zero Green production process.



- 1. Coffee (A) 917147-0652T
- 2. Rust (C) 100002-0603
- 3. Latte (A) 917147-0651T
- 4. Delicate Cream (A) 917147-0649T
- 5. Ivory (A) 917147-0648T
- 6. Rich Chestnut (A) 917147-0655T



### **Colours**

**Plain Translucent Collection** 




#### Sustainable.

All of our translucent fabrics come from a facility which sticks to a Five Zero Green production process.



- **1. Misty Flower (A)** 100001-0709
- 2. Soft Blush (C) 100007-0131
- **3. Dusty Earth (C)** 918338-134
- **4. Midnight Blue (A)** 917147-0224T
- **5. Flax (A)** 100001-0329
- **6. French Grey (A)** 100001-0328
- 7. Harbour Mist (A) 100001-0238
- 8. Classic Blue (A) 917147-0231
- **9. Daffodil Yellow (A)** 917147-0421T



### **Textured fabrics**

**Texture Collection** 



#### Sustainable.

All of our textured fabrics come from a facility which sticks to a Five Zero Green production process.



Add more character to your window blind with a textured fabric.

- 1. Chenille (C) 917172-8-581-8
- 2. Flower White (C) 917172-8-771-81
- 3. Dove White (C) 101638-8
- 4. Polar White (B) 108338-88
- 5. Soft White (F) 914938-8

- 6. Panama White (B) 917132-8
- 7. Light Seagrass (E) 956138-0
- 8. Wide Striped Cream (F) 148339-0
- 9. Basket Beige (D) 100031-0605
- 10. Basket Light Grey (D) 100031-0505


- 11. Basket Dark Grey (D) 100031-0503
- 12. Birch (F) 918361-8-602-5
- 13. Thinstripe Midnight (D)



### **PVC Fabrics**

Best placed in bathrooms, wet rooms and near sinks.

- **1. PVC Beige\* (C)** DBE1830
- 2. PVC Black (C) DBW1830
- **3. PVC White\* (C)** DW1830
- **4. PVC Grey\* (C)** DG1830
- 5. PVC Iron\* (C)
- \*Same Coloured Backing







### **Screen Fabrics**

Screen fabric will protect against the sun and harmful effects of UV rays. Ideal for offices.

- 1. Chalk Soft Grey 1% (D) SCR-3001-03
- 2. Chalk Soft Grey 3% (D) SCR-3003-03
- **3. Soft Grey 3% (D)** SCR-3003-08
- **4. Soft Grey 1% (D)** SCR-3001-08





### **Specification - Blackout**

Fabric Code	Fabric Name	Fabric Band	Roll Width	Material	Backing	Sustainable	Skylight	Skylight Plus Solar Skylight BlocOut / XL	Roller / Premium Roller
917149-0008	Blossom White	AB	2000	Polyester	White	(1)	1	1	1
917149-0119	Shiraz	AB	2000	Polyester	White	(1)	1	1	/
917149-0224	Midnight Blue	AB	2000	Polyester	White	(4)	1	1	1
917149-0231	Soft Sky	AB	2000	Polyester	White	(1)	1	/	/
917149-0511	Light Grey	AB	2000	Polyester	White	(1)	1	1	1
917149-0519	Smouldering Charcoal	AB	2000	Polyester	White	(4)	1	/	/
917149-0649	Delicate Cream	AB	2000	Polyester	White	(4)	1	/	/
917149-0651	Latte	AB	2000	Polyester	White	(4)	1	/	/
2228-228	Jet Black	AB	2000	Polyester	White		1	1	/
917149-0671	Turf	AB	2000	Polyester	White	(4)	1	1	/
0017-002	Bog Cotton	В	2000	Polyester	Same			1	1
0017-003	Lime Wash	В	2000	Polyester	Same			1	1
0017-009	Fisherman's Blue	В	2000	Polyester	Same			/	/
0017-010	Gooseberry	В	2000	Polyester	Same			1	/
0017-012	Flagstone	В	2000	Polyester	Same			1	/
0017-013	Flint	В	2000	Polyester	Same			1	/
0017-014	Barn Owl	В	2000	Polyester	Same			1	1
0017-015	Raven	В	2000	Polyester	Same			1	1
0017-017	Wood Pigeon	В	2000	Polyester	Same			/	/
0017-020	Duck Egg	В	2000	Polyester	Same			/	/
DIGIBB-5838	Lavender Mist	В	2000	Polyester	White	(1)		/	/
DIGIBB-5932	Raspberry	В	2000	Polyester	White	(4)		/	/
100937-0537 (New)	Fog Grey	В	2000	Polyester	White	(4)		/	/
100937-0538 (New)	Fossil Grey	В	2000	Polyester	White	(4)		/	/
100937-0539 (New)	Whisper	В	2000	Polyester	White	(4)		/	/
917149-0088	Snowdrop	С	2000	Polyester	White	(1)		/	· /
917149-0652	Coffee	С	2000	Polyester	White	(1)		/	· /
2228-145	Whin	С	2000	Polyester	White	Ψ		/	· /
2228-224	Coastal Blue	С	2000	Polyester	White			/	/
2228-225	Cobalt	С	2000	Polyester	White			/	/
2228-227	Inkwell Navy	С	2000	Polyester	White			/	/
2228-718	Pewter	С	2000	Polyester	White			/	/
2228-806	Wheaten	С	2000	Polyester	White				/
2228-809	Lichen	С	2000	Polyester	White			/	/
2228-810	Crockery Teal	С	2000	Polyester	White			/	· /
2228-811	Gentle Mist	С	2000	Polyester	White			/	/
2228-818	Moss	С	2000	Polyester	White			/	/
2228-851	Carnival Red	С	2000	Polyester	White			/	/
2393-007	Moonlit Shimmer	С	2000	Polyester	White			/	/
917149-0135-200	Bramble Flower	С	2000	Polyester	White	(4)		/	/
DBE1830	PVC Beige	С	1830	PVC	Same	Ψ		/	/
DBW1830	PVC Black	С	1830	PVC	White			1	<i>'</i>
DG1830	PVC Grey	С	1830	PVC	Same			1	/
DI1830	PVC Grey	С	1830	PVC	Same			1	<i>'</i>
DW1830	PVC White	С	1830	PVC	Same			<i>J</i>	<i>'</i>
100002-0239 (New)	Harbour Mist	С	2000	Polyester	White	(4)		1	/
100002-0239 (New)	Flax	С	2000	Polyester	White	Φ		1	/
100002-0330 (New)	French Grey	С	2000	Polyester	White	•		/	/
100002-0331 (New)	Rust	С	2000	Polyester	White	•		<i>'</i>	/
100002-0803 (New)	Misty Flower	С	2000	Polyester	White	•		<i>'</i>	/
914235-233	Blue Stone	D	2000	Polyester	White	ψ (a)		<i>y</i>	/
914235-629	Sandstone	D	2000	Polyester	White	Φ		<i>y</i>	/
		D	2000	-		•			
917165-0234-493-234-200 101380-0005 (New)	Night Sky	D	2000	Polyester	White White	(4)		/	/
	Astro			Polyester		Ψ		/	/
1690490A	Night Night Glow	F	2000	Polyester	White			1	1

### Specification - Translucent & Texture



Fabric Code	Fabric Name	Fabric Band	Roll Width	Material	Backing	Sustainable	Skylight	Skylight Plus Solar Skylight BlocOut / XL	Roller / Premium Roller
917147-0008T	Blossom White	А	2000	Polyester	White	(4)		1	1
917147-0009T	Jet Black	А	2000	Polyester	White	\$		1	1
917147-0224T	Midnight Blue	Α	2000	Polyester	White	\$		1	1
917147-0231	Classic Blue	А	2000	Polyester	White	\$		1	1
917147-0421T	Daffodil Yellow	А	2000	Polyester	White	\$		1	1
917147-0511T	Light Grey	А	2000	Polyester	White	\$		1	1
917147-0519T	Smouldering Charcoal	А	2000	Polyester	White	\$		1	1
917147-0648T	Ivory	А	2000	Polyester	White	\$		1	1
917147-0649T	Delicate Cream	А	2000	Polyester	White			1	1
917147-0651T	Latte	А	2000	Polyester	White	\$		1	1
917147-0652T	Coffee	А	2000	Polyester	Same	<b>\$</b>		1	1
917147-0655T	Rich Chestnut	Α	2000	Polyester	Same	\$		1	1
100001-0238 (New)	Harbour Mist	А	2000	Polyester	White	\$		1	1
100001-0328 (New)	French Grey	А	2000	Polyester	White	(\$)		1	1
100001-0329 (New)	Flax	А	2000	Polyester	White			1	1
100001-0698 (New)	Rust	А	2000	Polyester	White	(\$)		1	1
100001-0709 (New)	Misty Flower	А	2000	Polyester	White	\$		1	1
101788-0544 (New)	Fog Grey	А	2000	Polyester	White	\$		1	1
101788-0545 (New)	Fossil Grey	А	2000	Polyester	White	*		1	1
101788-0546 (New)	Whisper	А	2000	Polyester	White	(\$)		1	1
108338-88	Polar White	В	2000	Cotton	Same	\$			1
917132-8	Panama White	В	2000	Polyester	Same	(4)			1
100007-0131	Soft Blush	С	2000	Polyester	Same	(4)		1	1
918338-134	Dusty Earth	С	2000	Polyester	Same	(\$)		1	1
101638-8	Dove White	С	2000	Cotton	Same	<b>(</b>			1
917172-8-581-8	Chenille	С	2000	Polyester	Same	(4)			1
917172-8-771-81	Flower White	С	2000	Polyester	Same	(\$)			1
194938-9	Thinstripe Midnight	D	2000	Polyester	Same	(4)			1
100031-0503 (New)	Basket Dark Grey	D	2300	Polyester	White	(4)			1
100031-0505 (New)	Basket Light Grey	D	2300	Polyester	White	(\$)			1
100031-0605 (New)	Basket Beige	D	2300	Polyester	White	(4)			/
956138-0	Light Seagrass	E	2000	Viscose/ Polyester/ Cotton/ Flax	White	(1)			/
148339-0	Wide Striped Cream	F	2000	Cotton	White	(4)			1
914938-8	Soft White	F	2000	Polyester	White	(1)			/
918361-8-602-5	Birch	F	2000	Polyester	White	*			1

### **Specification - Screen**

Fabric Code	Fabric Name	Fabric Band	Roll Width	Material	Suitable for Moist Conditions	Roller / Premium Roller	FR	Anti- Bacterial	Anti-Fungi
SCR-3001-08	Soft Grey 1%	D	2500	Screen		1	1	1	/
SCR-3003-08	Soft Grey 3%	D	2500	Screen		1	1	1	/
SCR-3001-03	Chalk Soft Grey 1%	D	2500	Screen		1	1	1	1
SCR-3003-03	Chalk Soft Grey 3%	D	2500	Screen		1	1	1	1



## We offer technical training and support for all our products.

sales@clearlinewindows.co.uk



### **Product Information**





### **BlocOut**

Sleep nourishes life. And just like the food we eat, the better the quality, the better we feel. Restless and unsettled nights starve our well being, resulting in unproductive, anxious days. The better we sleep, the better we live.

The award winning BlocOut blackout blind offers unrivalled levels of darkness in your room as well as reducing draughts and heat loss through your window by up to 43%.


The light blocking siderails and bottom seal make it an ideal sleep aid for young children, light sensitive sleepers, shift workers and daytime nappers. It is perfect for use in nurseries, bedrooms, TV gaming rooms, home cinemas and even photography dark rooms.

Choose blackout fabrics for best results with BlocOut.

#### **Features**

- ✓ Effective blackout for better sleep
- ✓ Easy to Measure, Easy to Fit
- ✓ Custom made siderails and bottom seal
- ✓ Child safe & chain free
- ✓ Spring operated mechanism
- Reduce heat loss and heat gain
- ✓ High quality blackout fabrics
- √ 3-year guarantee
- ✓ Manufactured in the UK





### BlocOut XL

Sleep nourishes life. And just like the food we eat, the better the quality, the better we feel. Restless and unsettled nights starve our well being, resulting in unproductive, anxious days. The better we sleep, the better we live.


The award winning BlocOut XL blackout blind for larger windows offers unrivalled levels of darkness in your room as well as reducing draughts and heat loss through your window by up to 43%.

The light blocking siderails and bottom seal make it an ideal sleep aid for young children, light sensitive sleepers, shift workers and daytime nappers. It is perfect for use in nurseries, bedrooms, TV gaming rooms, home cinemas and even photography dark rooms.

Choose blackout fabrics for best results with BlocOut XL.

#### **Features**

- ✓ Effective blackout for better sleep
- ✓ Easy to Measure
- ✓ Simple to install; better for uneven windows; increased tolerances
- ✓ Custom made siderails and bottom seal
- ✓ Reduce heat loss and heat gain
- ✓ High quality blackout fabrics
- √ 3-year guarantee
- ✓ Manufactured in the UK
- ✓ Motorised & SMART options available (child safe)
- ✓ Fabric changer technology
- ✓ Suitable for larger windows up to 2400mm wide x 2400mm height
- ✓ Fabric pelmet option





### **Skylight Blinds**

Easy to install and just as easy to use, Bloc Skylight blinds have been created to fit and complement the world's most popular skylight brands. We make blinds to fit VELUX, Roto, Fakro, Rooflite, Dakstra and many more manufacturers. It makes choosing the right style to fit your specific skylight so simple. No modifications or compromises required. The blind you order is made specifically to fit your window, here in the UK. With over 100 colours and fabric choices, matching the blind to your taste is simple too.

#### Easy to install

Four screws. 60 seconds. That's how easy it is to install Bloc Skylight blinds. Our simple online 'how-to' videos are easy-to-follow, step-by-step installation guides.


#### Easy to use


Skylights are often difficult to reach, but that shouldn't make them difficult to use. Powered by either sunlight or battery, our simple remote-control options make adjustment simple. And for skylights that aren't so out of the way, you simply tilt the handle of the blind to release and pull back to lock it in place.

#### **Features**

- ✓ Easy four-screw installation process
- ✓ Choose from a wide range of colours and fabrics
- ✓ Wide range of sizes available
- ✓ Manufactured in the UK
- ✓ Cordless, so child safe
- ✓ Can be solar powered or manually adjusted

**bloc**Skylight
Blind





### **Bloc Roller Blind**


A modern roller blind.
With blackout or a translucent fabric.
Controlled by hand, by app or on a timer.
We do all of that.

Matching your windows to your room's decor has never been simpler, especially if you like to change things on a regular basis. Our award-winning Fabric Changer system is a straightforward way to refresh your colour scheme without having to buy and fit an entirely new blind mechanism. It's also cheaper and better for the environment. So, when you fancy a seasonal or longer-term change, simply hook off the existing blind and hook on a new one. Simple.

#### **Features**

- ✓ Effective blackout for better sleep
- ✓ Easy to Measure, Easy to Fit
- ✓ Precision cut to fit your windows
- ✓ Built in Fabric Changer allows you to change and update your look in an instant
- ✓ Child Safe
- ✓ High quality fabrics
- √ 3-year guarantee







# Bloc EasyFit Roller Blind

Our EasyFit Roller Blind is the world's simplest way to attach blinds. Drill-free, speedy and stress-free installation. Perfect on tiled walls.

EasyFit Roller Blinds offer you a drill free option for quick and easy installation without the use of power tools!

The clever design securely holds the blind in place without the need for screws or nails, whilst an adhesive strip protects your paintwork. Also adheres to tiles perfectly.

Matching your windows to your room's decor has never been simpler, especially if you like to change things on a regular basis. Our award-winning Fabric Changer system is a straightforward way to refresh your colour scheme without having to buy and fit an entirely new blind mechanism. It's also cheaper and better for the environment. So, when you fancy a seasonal or longer-term change, simply hook off the existing blind and hook on a new one. Simple.

## **Features**

- ✓ No screws or power tools required
- ✓ Remains adjustable after installation
- ✓ Fabric Changer system included
- ✓ Great on tiles





## **Bloc Venetian Blind**

White Smooth or Wood effect Venetian - A safe and modern way to effortlessly control light in any room in your home. The Bloc Venetian Blind offers you the cleanest and most seamless look on the market, with 'anti-warping' technology as standard, making it suitable in every room in the home.


## Life is simpler when its safer.

Our revolutionary Bloc Venetian Blind is a simpler, safer alternative to traditional chain and cord blind-height adjusters. Simpler, because of the lower/lift mechanism allowing you to raise the blind by hand; safer because it replaces the dangling loop choke hazard of a normal blind's mechanism.

## **Features**

- ✓ 100% waterproof
- ✓ UV resistant
- ✓ Easy to clean
- ✓ Child Safe
- ✓ Smooth, accurate positioning

**bloc** Venetian Blind







## **bloc** Roller Blind **Premium**

Our Premium Roller Blind with its matching pelmet gives windows a more considered, interior-designed look. It's flexible too, allowing you to change the pelmet as well as the blind using our unique Fabric Changer system. When retracted, the blind sits neatly inside a made-to-measure cassette for a tidy look that also prevents discolouration from sunlight.

- ✓ Sleek chassis protects the fabric from fraying
- ✓ Precision-cut to fit your windows
- ✓ Fabric Changer system included



# **bloc**Pelmet

Upgrade the look of your blind with our stylish pelmet. It can be clicked onto the cassette of your BlocOut, BlocOut XL, Premium Roller Blind and Zebra Roller Blinds. It can be added to other blinds using a simple metal bracket.



## bloc Roller Blind Twin

Our Twin Roller Blinds are the perfect solution for those who want the option of a translucent fabric for privacy and a blackout fabric for darkness. No need to purchase two separate blinds.

- ✓ 2 fabrics
- ✓ Fabric Changer system included



## **Ouro** Roller Blind

Our Ouro Roller Blind can be fitted within the recess of the window and on the front surface of the window. Available in a reverse or standard roll and the control mechanism (chrome chain) can be on the left- or righthand side.

- ✓ Quality fabric
- ✓ Chrome chain
- ✓ Metal brackets
- ✓ Fast delivery

# **Motorised Systems**

## Remote Control Motorised System

Our Roller Blinds are compatible with a motorised system for added convenience and enhanced child safety. The battery is contained within the barrel of the blind and is charged at fixed position via a charger plug. The motorised system is easy to install and requires no hard wiring. The blind can be supplied with a multi-channel remote capable of operating up to 20 blinds in each of its 15 channels.

Motorised Blind system is compatible with Bloc Roller Blinds, Skylight Solar Motorised, and BlocOut XL.



## Smart Motorised System

Bloc Blinds' iQ intelligent blind system seamlessly lets you add motorised window blinds to your collection of SMART home devices. Chain free and multi-purpose the discrete battery powered system is easy to install.

You choose how to control your blinds whether you are at home or away and set the scene according to your needs at the touch of a button. With personalised positioning you can control light and privacy day or night, enhance home security and adapt temperature efficiently. The SMART Motorised Blind system is compatible with Bloc Roller Blinds, Skylight Solar Motorised, and BlocOut XL.

## App features:

- Timer
- Scene settings
- Control blinds in multiple properties from one app
- Room control individually or simultaneously
- App control
- Battery feedback feature on smart phone / tablet indicates battery levels
- Favourite blind position

Create a smart home with Bloc Blinds iQ or simply integrate it with your existing smart home devices.

Compatible with: Alexa Google Home IFTTT





**bloc** Blinds **iQ** 




# **Product Specifications**




**Live**Simple

## **BlocOut**

Award winning blind, the BlocOut is capable of blocking light and draughts thanks to the exceptional quality of its individual components. Each part, from the brush seals to the cassette holder and aluminium frames are designed to last. BlocOut blinds come in a wide range of colours and patterns to suit a variety of environments and tastes.





Curtains trap hot air and prevent it circulating the room. This can lead to heat loss. BlocOut creates an energy efficient barrier that minimizes heat loss through the window and leaves radiators free to heat a room faster.

## **Aluminium Colour Options**



Anodised Silver Natural Finish



**White** Matt Finish

## **Features**

Bloc Blinds incorporate a number of specially developed features that enhance the premium quality of our blinds;



## Cassette

The fabric which is around the spring and barrel mechanism is completely enclosed, the siderails slot into cassette ends on installation.




## **Child Safe**

The blind is operated via a spring system. The blind pulls down through the siderails locking in place when the handle is released. The handle is then pushed in towards the window releasing the lock which enables the spring to retract the fabric. There are no cords.

#### Seal

Brush and rubber seals are attached to the bottom of the handle, when the blind is closed, they create a barrier between the blind and sill, blocking out light and reducing heat loss.




**Pips**Pips are attached to the fabric to ensure the blinds stays securely within the runners at all times.




Brush Seals
These create a barrier between the blind and the window frame, blocking out light and reducing heat loss.

## **Fixing Components**




Left & right Guide Dogs for edge of recess fix. Height 32mm, Width 45mm, Depth 8mm



3 white primed 9mm x 44mm wooden batons used in the inside of recess fix only.

## Fixing Components in position



Edge of Recess.



Inside the Recess.

## Fitting types




Edge of Recess Fix


✓ Drill Free Installation



Inside the Recess Fix
✓ Drill Free Installation

## **Product Dimensions**





A. Cassette height: 60mm B. Frame width: 32mm C. Cassette depth: 52mm

## **PRODUCT SIZE LIMITS**

Min width: 400mm Max width: 1800mm Min drop: 300mm Max drop: 1500mm

## Product tolerance limits


To ensure correct operation and full bloc out performance the blind can only work within limited window reveal tolerances i.e. the window must be as square as possible, fitting a blind into or on the edge of a window recess outside of the stated tolerances will lead to poor operation, reduced bloc out performance and or product damage.

The cassette will always be made to the top width (A)  $\,$ 

The siderails will always be made to the smallest height

The middle width (B) and the bottom width (C) can have no more than - 2mm variation from the top width Bottom width (C) can have no more than +/- 6mm variation from the top width

The height measurements (D) (E) (F) must not have a variation of more than +/- 5mm.



## Operation

The blind is operated via a spring tension system using the handle at the bottom of the blind. The blind simply pulls down through the siderails locking whenever the handle is released, the handle is then pushed in towards the window releasing the lock which enables the cassette to retract the fabric. To ensure correct operation the user must operate the blind with 2 hands held centrally on the handle not to one side of the blind. To ensure fabric does not come out of the siderails keep the window closed when the blind is in the closed position.

## Care

To keep the blind looking it's best through time the customer must ensure the product has been installed and operated securely and correctly, the fabric can be cleaned with a synthetic or feather duster and can be wiped lightly with a damp cloth.

## Maintenance

All our products are manufactured using aluminium and glass reinforced nylon components, they do not present any corrosion problems in normal working environments. If there is a failure of a blind, a component can be replaced without the need for a new complete blind.

## Replaceable components:


Handle ends (brakes) Siderail feet Siderails

## **BlocOut XL**

The BlocOut XL is capable of blocking light and draughts thanks to the exceptional quality of its individual components. Each part, from the brush seals to the cassette holder and aluminium frames are designed to last. BlocOut XL blinds come in a wide range of colours and patterns to suit a variety of environments and tastes.







Curtains trap hot air and prevent it circulating the room. This can lead to heat loss. BlocOut XL creates an energy efficient barrier that minimizes heat loss through the window and leaves radiators free to heat a room faster.


## **Aluminium Colour Options**



**White** Matt Finish

## **Features**

Bloc Blinds incorporate a number of specially developed features that enhance the premium quality of our blinds;



## Fabric Changer System

With our Fabric Changer on recess fitted you can have a sophisticated blind system with the advantage of total design flexibility when it comes to your decor.



The fabric pelmet can also be hooked on and off to compliment your fabric choice.



## Cassette

The fabric which is around the barrel mechanism is completely enclosed, the siderails slot into cassette ends on installation. The barrel is a 32mm aluminium tube which has a fabric changer strip attached allowing the fabric to be hooked on and off.



## P-Clip

P-Clip attached to the chain ensuring conform to European regulations on child safety.




# Multi Channel Remote for Motorised Blinds.

The blind can be supplied with a multi-channel remote capable of operating up to 20 blinds in each of its 15 channels.



## Operation


The blind is operated via a Chain or motorised system. The blind pulls down through the side siderails.



## Seal

Rubber seals are attached to the bottom of the handle, when the blind is closed, they create a barrier between the blind and sill, blocking out light and reducing heat loss.

## Fitting types




Recess Fix inside the window recess

✓ Drill Free Installation



Surface Fix (Exact) outside the window recess

## **Fixing Components**




Recess Fix
Left & right Guide Dogs
Height 70mm, Width 70mm, Depth 10mm



Surface Fix
Left & right Guide Dogs
attached to wall bracket
Height 72mm, Width 78mm, Depth 52mm

## **Fixing Components in position**




**Recess Fix** 




**Surface Fix** 

## **Product Dimensions**

## **BlocOut XL**




## **BlocOut XL with Pelmet**



## Product tolerance limits

To ensure correct operation and full bloc out performance the blind can only work within limited window reveal tolerances i.e., the window must be as square as possible, fitting a blind into a window recess outside of the stated tolerances will lead to poor operation, reduced bloc out performance and or product damage.



#### Recess tolerance

The cassette will always be made to the top width (A) The siderails will always be made to the smallest height

The bottom width (C) Can have no more than +/-20mm variation from the top width

The height measurements (D) (E) (F) must not have a variation of more than +/- 6mm.

## Surface tolerance

The cassette will always be made to the top width (A) The siderails will always be made to the smallest height

The bottom width (C) Can have no more than  $\pm$ - 5mm variation from the top width

The height measurements (D) (E) (F) must not have a variation of more than +/-3mm.

## **Product capabilities**

The BlocOut XL is available in both manual and motorised, the manual version can have the chain on either the left or right and the motorised version is the right-hand side only.

The BlocOut XL has a fabric changer system which allows you to change the fabric without dismantling the blind. The fabric is attached to a flexible PVC hook which is attached to the barrel.

Fabric pelmets are available for the BlocOut XL range. It is typically covered with the same fabric as the cassette fabric and can be simply hooked on or off.

## Operation

The blind is operated via a chain, motorised or Smart motorised system. The blind simply pulls down through the siderails.

## Care

To keep the blind looking it's best through time the customer must ensure the product has been installed and operated securely and correctly, the fabric can be cleaned with a synthetic or feather duster and can be wiped lightly with a damp cloth.

#### Maintenance

All our products are manufactured using aluminium and glass reinforced nylon components, they do not present any corrosion problems in normal working environments. If there is a failure of fabric or a component, depending on which, it can be replaced without the need for a new complete blind.

## Replaceable components:

Handle ends Siderail feet Siderails Clutch & chain Fabric

# Bloc Skylight Blind

Bloc Skylight blinds can enhance the performance of all forms of roof windows. Compatible with all major skylight brands, we can also work with you to engineer custom built blinds for your windows.

Installation of the blind couldn't be simpler. Our four screw systems means installation is easy and mess free.



## **Aluminium Colour Options**



**Anodised Silver** Natural Finish



**White**Matt Finish

#### **Features**

Bloc Blinds incorporate a number of specially developed features that enhance the premium quality of our blinds;




## **Brush Seals**

These create a barrier between the blind and the window frame, blocking out light and reducing heat loss.




#### Fabric

The fabric is completely enclosed, reducing fading and significantly extending the life of the fabric.



## **Pips**

Pips are attached to the fabric to ensure the blinds stays securely within the runners at all times.




## Child Safe

Our skylight blinds are safe by design - there are no cords. The blind is pre-tensioned via a spring, so while being Child Safe this feature also makes it easier to install.

## **Product Specification**

Roller Tube	Aluminium
Cassette Colour	Anodised Silver/ White
Control	Spring
Fabric Position	Reverse Roll
Sizes	All manufacturing Codes
Suitable for	Velux® Roof Windows, Dakstra®, Fakro®, Okpol®, Roof Lite®, Roto®, non standard, others

## **Product Dimensions**



- A. Cassette height: 60mm
- B. Siderail width: 31mm
- C. Cassette depth: 52mm

## Operation

Operation of the blind is through a spring tension system operated by tilting the handle at the bottom of the blind. The blind simply pulls down through the side channels locking whenever the handle is released. The handle is then pushed in towards the window releasing the lock which enables the spring to retract the fabric. It complies fully with all relevant child safety standards.

## Care

We are all very proud of our stunning Skylight blinds. To keep them looking their best for years to come, always ensure that your Skylight blinds have been securely fitted and use a synthetic or feather duster to clean, refrain from using soap and water.

## Maintenance

All our Skylight blind components are manufactured using aluminium and glass reinforced nylon. They do not present any corrosion problems in normal environments. The system has been designed for smooth operation, together with rigidity to prolong the window blinds working life.

## Replaceable components:

Handle ends (brakes) Siderail feet Siderails

# Bloc Skylight Blind Solar Motorised

Compatible with all major brands. Harnessing the energy from the sun via a discreet solar panel. The solar panel is designed to charge the battery during daylight hours throughout the lifetime of the blinds. Even in the event of no sunshine, the battery will last for 300 operations.

Installation of the blind couldn't be simpler. Our 6 screw system means installation is easy and mess free.





Anodised Silver Natural Finish


## **Features**

Bloc Blinds incorporate a number of specially developed features that enhance the premium quality of our blinds;



## **Belts**

The tracks in the siderail connect them to the handle.



#### Fabric

The fabric is completely enclosed, reducing fading and significantly extending the life of the fabric.




## Multi Channel Remote for Motorised Blinds.

The blind can be supplied with a multi-channel remote capable of operating up to 20 blinds in each of its 15 channels.



## The Belt Tensioner

The belt tensioner means the tension has been pre-set at point of manufacturing leading to easier installation.



## Solar Panel

The discreet solar panel harnesses and stores the sun's energy using it to operate the blind.

## **Product Specification**

Roller Tube	Aluminium
Cassette Colour	Anodised Silver
Control	Motorised (12v)
Fabric Position	Standard Roll
Sizes	All manufacturing Codes
Suitable for	Velux® Roof Windows, Dakstra®, Fakro®, Roof Lite®, Roto® (exc 300 series)

# Product Dimensions A. Cassette height: 65mm B. Siderail width: 31mm C. Cassette depth: 81mm D. Visible Cassette Depth: 34mm

## **Battery Life**

The solar panel is designed to charge the battery during daylight hours throughout the lifetime of the blind, in the event of no sunlight the battery will last for 300 operations.

## Operation

The blind is operated with motorised or Smart motorised system. The blind can be supplied with a multi-channel remote capable of operating up to 20 blinds in each of its 15 channels.

## Care

To keep the blind looking it's best through time the customer must ensure the product has been installed and operated securely and correctly, the fabric can be cleaned with a synthetic or feather duster and can be wiped lightly with a damp cloth.

## Maintenance

All our products are manufactured using aluminium and glass reinforced nylon components, they do not present any corrosion problems in normal working environments. If there is a failure of fabric or a component, depending on which, it can be replaced without the need for a new complete blind.

## Replaceable components:

Handle ends Siderail feet Siderails

# Bloc Roller Blind

Our Roller blinds come in 2 different variations; Standard installation brackets and EasyFit drill free brackets for use with the recess fit only.


Roller blinds can be fitted within the recess of the window and on the front surface of the window recess. Available in a reverse or standard roll and the control mechanism (chrome chain) can be on the left - or right-hand side.

Fabric Changer system comes as standard on all Bloc roller blinds.



## Fabric Changer System

Built in Fabric Changer allows you to change and update your fabric in an instant. Wide range of fabric colours and designs to choose from.



## **Features**

Bloc Blinds incorporate a number of specially developed features that enhance the premium quality of our blinds;



## **Bottom Bar**

Roller blinds are available with a welded pocket this provides a seamless finish on the fabric a PVC bar is then inserted in the pocket.



## Multi Channel Remote for Motorised Blinds.

The blind can be supplied with a multi-channel remote capable of operating up to 20 blinds in each of its 15 channels.





## Clutch and chain

The Clutch and chain used to operate the blind come with a 10-year guarantee. The chain is cut to length, dependant on blind installation height.

P-Clip is attached to the chain ensuring conformity with European regulations on child safety.

## EasyFit components in position with fitting option



## **Guide Dog System**

Our patented Guide Dog system allows you to alter the blinds position by unclicking the cassette, adjusting the guide dog teeth and clicking it back into place.

Height 70mm, Width 63mm, Depth 10mm



## **EasyFit Brackets**

Only to be used on blinds fitted inside the recess.

- ✓ Drill Free Installation
- ✓ No screws or power tools required on our drill-free bracket
- ✓ Remains adjustable after installation
- ✓ Great for tiled surfaces

## Metal Brackets in position with fitting options



## **Metal Brackets**

Can be used both outside and inside of the window recess.



Recess fit
Top and side fix



Surface fit

## Bracket colour options for EasyFit and standard brackets



**White**Matt Finish



**Grey** Matt Finish



Black Matt Finish

**PRODUCT SIZE LIMITS: CHAIN** 

Min width: 200mm Max width: 2400mm Min drop: 200mm Max drop: 3000mm PRODUCT SIZE LIMITS: MOTORISED

Min width: 500mm Max width: 2400mm Min drop: 200mm Max drop: 3000mm

## Operation

The blind is operated via a chain, motorised or Smart Motorised system.

#### Care

To keep the blind looking it's best through time the customer must ensure the product has been installed and operated securely and correctly. The fabric can be cleaned with a synthetic or feather duster and can be wiped lightly with a damp cloth.

## Maintenance

All our products are manufactured using aluminium and glass reinforced nylon components, they do not present any corrosion problems in normal working environments. If there is a failure of fabric or a component, depending on which, it can be replaced without the need for a new complete blind.

## Replaceable components:

Clutch & chain Fabric


# Ouro Roller Blind

The Ouro roller blind can be fitted within the recess of the window and on the front surface of the window. Available in a reverse or standard roll and the control mechanism (chrome chain) can be on the left- or right-hand side.



## **Features**

Bloc Blinds incorporate a number of specially developed features that enhance the premium quality of our blinds;



## **Bottom Bar**

Roller blinds are available with a welded pocket this provides a seamless finish on the fabric a PVC bar is then inserted in the pocket.



## Clutch and chain

The Clutch and chain are used to operate the blind. The chain is cut to length dependant on blind installation height. Metal brackets are supplied with covers.




## P-Clip

P-Clip attached to the chain ensuring conform to European regulations on child safety.

## Metal Brackets in position with fitting options



Metal Brackets
Can be used both outside and inside of the window recess.




Recess fit
Top and side fix



Surface fit

## Bracket colour options for metal brackets



PRODUCT SIZE LIMITS: LOUVOLITE SYSTEM 32

Min width: 200mm Max width: 2000mm Min drop: 200mm Max drop: 3000mm PRODUCT SIZE LIMITS: LOUVOLITE SYSTEM 40

Min width: 2000mm Max width: 2400mm Min drop: 200mm Max drop: 3000mm Bracket covers included Chain length dependent on installation height

## Operation

The blind is operated with a chrome chain.

## Care

To keep the blind looking it's best through time the customer must ensure the product has been installed and operated securely and correctly, the fabric can be cleaned with a synthetic or feather duster and can be wiped lightly with a damp cloth.

## Maintenance

Our products do not present any corrosion problems in normal working environments. If there is a failure of a component, it can be replaced without the need for a new complete blind.

## Replaceable components:

Clutch & chain

# Bloc Twin Roller Blind

Our Twin Roller Blinds are the perfect solution for those who want the option of a translucent fabric for privacy and a blackout solution for darkness. No need to purchase two separate blinds.

Twin Roller blinds can be fitted within the recess of the window and on the front surface of the window recess. Available in a reverse or standard roll and the control mechanism (chrome chain) can be on the left - or right-hand side.

- 2 fabrics
- ✓ Fabric Changer system included




## Fabric Changer System Built in Fabric Changer allows you to change and update

you to change and update your fabric in an instant. Wide range of fabric colours and designs to choose from.



#### Features

Bloc Blinds incorporate a number of specially developed features that enhance the premium quality of our blinds;



## **Bottom Bar**

Roller blinds are available with a welded pocket this provides a seamless finish on the fabric a PVC bar is then inserted in the pocket.





## Clutch and chain

The Clutch and chain used to operate the blind come with a 10-year guarantee. The chain is cut to length, dependant on blind installation height.


P-Clip is attached to the chain ensuring conformity with European regulations on child safety.

## Metal Brackets in position with fitting options



**Metal Brackets** 

Can be used both outside and inside of the window recess.



Recess fit
Top and side fix



Surface fit

## Bracket colour options for metal brackets



White Matt Finish

## PRODUCT SIZE LIMITS: CHAIN

Min width: 200mm Max width: 2400mm Min drop: 200mm Max drop: 3000mm

## Operation

The blind is operated via a chain, motorised or Smart Motorised system.

## Care

To keep the blind looking it's best through time the customer must ensure the product has been installed and operated securely and correctly. The fabric can be cleaned with a synthetic or feather duster and can be wiped lightly with a damp cloth.

## Maintenance

All our products are manufactured using aluminium and glass reinforced nylon components, they do not present any corrosion problems in normal working environments. If there is a failure of fabric or a component, depending on which, it can be replaced without the need for a new complete blind.

## Replaceable components:

Clutch & chain Fabric

## Bracket colour options for metal brackets



**White** Matt Finish



**Grey** Matt Finish



Black Matt Finish

**PRODUCT SIZE LIMITS: CHAIN** 

Min width: 200mm Max width: 2400mm Min drop: 200mm Max drop: 3000mm PRODUCT SIZE LIMITS: MOTORISED

Min width: 500mm Max width: 2400mm Min drop: 200mm Max drop: 3000mm

## Operation

The blind is operated via a chain, motorised or Smart Motorised system.

#### Care

To keep the blind looking it's best through time the customer must ensure the product has been installed and operated securely and correctly. The fabric can be cleaned with a synthetic or feather duster and can be wiped lightly with a damp cloth.

## Maintenance

All our products are manufactured using aluminium and glass reinforced nylon components, they do not present any corrosion problems in normal working environments. If there is a failure of fabric or a component, depending on which, it can be replaced without the need for a new complete blind.

## Replaceable components:

Clutch & chain Fabric

# Bloc Premium Roller Blind

The Bloc Premium Roller Blind range is the ultimate in roller blind design. The cassette protects the fabric from fraying and sun discolouration, while the optional pelmet will add a more finished look any room.








## **Aluminium Colour Options**



**White** Matt Finish



**Anodised Silver** Natural Finish





## Fabric Changer System

Built in Fabric Changer allows you to change and update your fabric in an instant. The fabric pelmet can also be hooked on and off to compliment your fabric choice.


## **Features**

Bloc Blinds incorporate a number of specially developed features that enhance the premium quality of our blinds;




## **Pelmet Clip**

The pelmet clip allows it to be clipped on and off in seconds.



## **Pelmet**

The fabric pelmet can be hooked on and off to compliment your fabric choice.



## **Guide Dog System**

Our patented Guide Dog system allows you to alter the blinds position by unclicking the cassette, adjusting the guide dog teeth and clicking it back into place.



## P-Clip


P-Clip attached to the chain ensuring conform to European regulations on child safety.



# Multi Channel Remote for Motorised Blinds.

The blind can be supplied with a multi-channel remote capable of operating up to 20 blinds in each of its 15 channels.

## Inside the recess fix




## Guide dog


✓ Drill Free Installation

Height 70mm, Width 70mm, Depth 10mm


Fixing Components in position



## Fitting type



## **Product Dimensions**



A. Cassette height: .....78mm B. Frame width: ......76mm C. Cassette depth: .....84mm


## **PRODUCT SIZE LIMITS**

Min width: 400mm

Min width (motorised option): 580mm

Max width: 2400mm Min drop: 300mm Max drop: 2400mm

## Outside the recess fix




## Guide dog


✓ Left/Right guide dogs attach to wall bracket.

Height 72mm, Width 78mm, Depth 52mm


## Fixing Components in position



## Fitting type



## **Product Dimensions**



A. Cassette height: .....78mm B. Frame width: ......78mm C. Cassette depth: .....84mm


## **PRODUCT SIZE LIMITS**

Min width: 400mm

Min width (motorised option): 580mm


Max width: 2400mm Min drop: 300mm Max drop: 2400mm

## Top of the recess fix



Height 30mm, Width 70mm, Depth 8mm


Fixing Components in position



Fitting type



## **Product Dimensions**



A. Cassette height: .....78mm B. Frame width: ......76mm C. Cassette depth: .....84mm

## **PRODUCT SIZE LIMITS**

Min width: 400mm

Min width (motorised option): 580mm

Max width: 2400mm Min drop: 300mm Max drop: 2400mm

## **Product capabilities**

The premium roller blind is available in both manual and motorised operation. The manual version can have the chain on either the left or right and the motorised version is the right-hand side only.

The premium roller blind has the fabric changer system which allows you to change the fabric without dismantling the blind. The fabric has a flexible PVC hook which is attached to the barrel.

A fabric pelmet can also be hooked on and off to compliment your fabric choice.
Pelmet sizes are 101/152/203mm

## Operation

The blind is operated via a chain, motorised or Smart Motorised system.

## Care

To keep the blind looking it's best through time the customer must ensure the product has been installed and operated securely and correctly. The fabric can be cleaned with a synthetic or feather duster and can be wiped lightly with a damp cloth.

## Maintenance

All our products are manufactured using aluminium and glass reinforced nylon components, they do not present any corrosion problems in normal working environments. If there is a failure of fabric or a component, depending on which, it can be replaced without the need for a new complete blind.

## Replaceable components:

Clutch & chain Fabric

# Bloc Zebra Roller Blind

The Bloc Zebra Blind is the ultimate in innovative design and home lighting control. This clever system, which features alternate bands of coloured and transparent material on one continuous loop, allows you to fine tune the light levels in a room by simply adjusting the fabric to achieve various degrees of fabric alignment.

Our Zebra Blinds are available in a wide selection of colours and come in varying band widths, providing greater style appeal. The optional fabric pelmet will add a more finished look to any room.



## **Aluminium Colour Options**



White Matt Finish



**Anodised Silver** Natural Finish


## **Features**

Bloc Blinds incorporate a number of specially developed features that enhance the premium quality of our blinds;




## **Bottom Bar**

Finished with a contemporary rounded bottom bar.



## **Guide Dog System**

Our patented Guide Dog system allows you to alter the blinds position by unclicking the cassette, adjusting the guide dog teeth and clicking it back into place.



#### Control

Alternate fabric bands provide increased lighting and privacy control.





## **Pelmet**


The fabric pelmet can be hooked on and off to compliment your fabric choice.



## Multi Channel Remote for Motorised Blinds.

The blind can be supplied with a multi-channel remote capable of operating up to 20 blinds in each of its 15 channels.

## Inside the recess fix




## Guide dog


✓ Drill Free Installation

Height 70mm, Width 70mm, Depth 10mm


## Fixing Components in position



## Fitting type



## **Product Dimensions**




A. Cassette height: .....78mm B. Frame width: ......76mm C. Cassette depth: .....84mm

## **PRODUCT SIZE LIMITS**

Min width: 400mm Max width: 2400mm Min drop: 300mm Max drop: 2400mm

Exceeding the size limits stated can lead to poor operation, poor light and heat blocking performance and or product damage.

## Outside the recess fix



## Guide dog


✓ Left/Right guide dogs attach to wall bracket.

Height 72mm, Width 78mm, Depth 52mm


## Fixing Components in position



## Fitting type



## **Product Dimensions**




A. Cassette height: .....78mm B. Frame width: ......78mm C. Cassette depth: .....84mm

## **PRODUCT SIZE LIMITS**

Min width: 400mm Max width: 2400mm Min drop: 300mm Max drop: 2400mm


Exceeding the size limits stated can lead to poor operation, poor light and heat blocking performance and or product damage.

## Top of the recess fix




Height 30mm, Width 70mm, Depth 8mm


## Fixing Components in position



## Fitting type



## **Product Dimensions**



A. Cassette height: .....78mm B. Frame width: ......76mm C. Cassette depth: ......84mm

## **PRODUCT SIZE LIMITS**

Min width: 400mm Max width: 2400mm Min drop: 300mm Max drop: 2400mm

Exceeding the size limits stated can lead to poor operation, poor light and heat blocking performance and or product damage.

## **Product capabilities**

The zebra roller blind is available in both manual and motorised operation. The manual version can have the chain on either the left or right and the motorised version is the right-hand side only.

A fabric pelmet can also be hooked on and off to compliment your fabric choice.

Pelmet sizes are 101mm/152mm/203mm

## Operation

The blind is operated via a chain, motorised or Smart Motorised system.

## Care

To keep the blind looking it's best through time the customer must ensure the product has been installed and operated securely and correctly, the fabric can be cleaned with a synthetic or feather duster and can be wiped lightly with a damp cloth.

## Maintenance

All our products are manufactured using aluminium and glass reinforced nylon components, they do not present any corrosion problems in normal working environments. If there is a failure of fabric or a component, depending on which, it can be replaced without the need for a new complete blind.

## Replaceable components:

Clutch & chain

# Bloc **Venetian Blind**

The Bloc Venetian Blind offers you the cleanest and most seamless look on the market. Operation could not be simpler, to lower and raise the blind, use the bottom handle. The Bloc Venetian comes with 'anti-warping' technology as standard, making it suitable in every room in the home.




## Effortless cordless lower/lift system

Simply raise and lower the blind using the bottom handle.









## **Features**

Bloc Blinds incorporate a number of specially developed features that enhance the premium quality of our blinds;





Smooth or Wood Effect Slats

Choose between either wood effect or smooth 50mm slats.




Wand Cordless slat tilting using the colour matched wand.



**Pelmet** Neat and modern pelmet. Comes as standard for recess/surface fitting.

## Inside the recess fix




Fixing Components in position





Surface fix




Fixing Components in position






## Optional extra brackets (only use when needed)

## **Centre Bracket**



## **Hold Down Bracket**



**Sizes available -** We offer a full made-to-measure programme within the sizes outlined in the table below.

	Sizes Available										
mm	600	760	900	1070	1200	1370	1520	1680	1830	2000	2130
1200	✓	1	1	1	1	1	1	1	1	1	1
1830	1	1	1	1	1	1	1	1	1	X	X

Slats	
Style	1) Smooth 2) Textured
Material	PVC
Dimensions	50mm W x 2.6mm H
Colour	Colour Matched

Pelmet/Valance	
Height	82.5mm
Colour	Colour Matched
Options	Recess or surface
Clip	Hidden Clear Plastic

Head rail	
Height	40mm
Depth	60mm
Colour	Colour matched

Blind Width	Number of ladder strings	Number of operating cords	
600	2	N/A	
600-915	3	N/A	
916-1220	4	N/A	
1221-1830	6	N/A	
Colour	Colour Matched		

## Operation

The blind is simply raised and lowered using the bottom handle.

## Care

To keep the blind looking it's best through time the customer must ensure the product has been installed and operated securely and correctly. The blind can be cleaned with a synthetic or feather duster and can be wiped lightly with a damp cloth.

## Maintenance

All our products are manufactured using aluminium and glass reinforced nylon and engineered polymers. They do not present any corrosion problems in normal working environments.

Wand

Material Dimensions

Colour

PVC

8mm Diameter

Colour Matched

If there is a failure of a component, depending on which, it can be replaced without the need for a new complete blind.

## Replaceable components:

Installation brackets
Control Wand
Bottom rail plugs
Bottom rail end caps
Valance (including valance clips)


## Bloc Hook Pole - 2m & 3m

## Open and close skylight roller blind

PAY ATTENTION - Only operate the roller blind with the roof window closed.

Use the hook pole only as demonstrated to prevent damage to the product.

Tilt handle inwards to operate blind.



## Open and close skylight window

Place side B on the operating handle of the window and move the hook pole down to open the window and up to close the window.

